



Nomadic stands for strength and reliability.

We aspire to empower the front-line workers across the globe. We stand in between them and the tough environments they put themselves into to get things done.


Ensuring their safety is our top priority. We want to build a relationship of trust with them, where our protective wear empowers them - enabling them to unlock their true potential. Building more such relationships of trust inspires us to do better.

Our product range is ever-evolving. Currently, we are catering to fire-fighters, aluminium foundries, cement plants, oil and gas companies, offshore oil drillers, welders, electricity generators, and more.

We are working with safety standards adopted worldwide like NFPA, EN, AS/NZ and UL. Our garments are certified as per the safety standards from leading research and testing laboratories across the globe. We are constantly working to improve our product offerings, be it in the level of protection that they can provide or in the sustainability of their usage.

Pioneering textile and apparel technology for human safety"

OUR PRODUCTS






Shirt



Trousers



Coverall



Bib



T-Shirt




Vest



Parka



Rain poncho



Rucksack



Sleeping bag

IFR PRO ELITE COVERALL

Article No. : NMDIFRPTPOV1801

Product Code: PTXPA 180 (5.50z / 180 Gsm)

Composition: 52% Modacrylic, 37% Cellulose, 9% PA, 2% AS

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two slanted chest pockets with flap and YKK metallic zipper.
- Sleeves cuffs provided with adjustable snap buttons.
- Front closure with two way YKK Metal zipper.
- Back pleats for easy movement and double pen slot on left arm.
- Elasticized back waist.
- 50mm wide FR silver reflective tape on shoulder, arm and legs.
- Gas loop on both chest.
- Two back pockets and one tool pocket.
- Two side cross pocket with vent for inner access.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread.
- All stress points bartack reinforced.

Standard Compliances:




























Laundry instructions:













IFR PRO ELITE COVERALL (HRC-2)

Article No. : NMDIFRPTPOV1801

Product Code: PTXPA 180T (5.50z / 180 Gsm) Composition : Proprietary Modacrylic Blend

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two slanted chest pockets with flap and metallic zipper.
- Sleeves cuffs provided with adjustable snap buttons.
- Front closure with two way metal zipper.
- Back pleats for easy movement and double pen slot on left arm.
- Elasticized back waist.
- 50mm wide FR silver reflective tape on shoulder, arm and legs.
- Gas loop on both chest.
- Two back pockets and one tool pocket.
- Two side cross pocket with vent for inner access.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread.
- All stress points bartack reinforced.


Standard Compliances:












































Laundry instructions:









Size



IFR LITE COVERALL

Article No. : NMDIFRPTXOV1802

Product Code : PTX 180 (5.50z / 180 Gsm)

Composition: 55% Modacrylic, 43% Cellulose / Cotton, 2% AS

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

• Two chest pockets. Left pocket with flap and snap closer.

• Sleeves cuffs provided with adjustable snap buttons.

Front closure with two way YKK Metal zipper.

• Back pleats for easy movement and double pen slot on left arm.

Elasticized back waist.

• 25mm wide FR silver reflective tape on shoulder, arm and legs.

• Gas loop on both chest.

Two back pockets left pocket with flap and snap closer.

One tool pocket.

• Two side cross pocket with vent for inner access.

Ergonomical design for user comfort.

Stitching with Inherent FR thread.

• All stress points bartack reinforced.

Standard Compliances:












Laundry instructions:
























Size



INHERENT FR 450 COVERALL

Article No. : NMDIFRAROV4501

Product Code: ARAMID 450 (4.50z / 150 Gsm)

: 93% Meta Aramid, 5% Para Aramid, 2% Antistatic Composition

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

• Two slanted chest pockets with flap and metallic zipper.

• Sleeves cuffs provided with adjustable snap buttons.

Front closure with two way metal zipper.

• Back pleats for easy movement and double pen slot on left arm.

Elasticized back waist.

50mm wide FR silver reflective tape on shoulder, arm and legs.

Gas loop on both chest.

Two back pockets and one tool pocket.

• Two side cross pocket with vent for inner access.

• Ergonomical design for user comfort.

Stitching with Inherent FR thread.

All stress points bartack reinforced.

Standard Compliances:


































Laundry instructions:









Size



ARAMID IFR SHIRT & TROUSER

INHERENT FR 450 SHIRT

Article No. : NMDIFRAMDSH4501

Product Code: ARAMID 450 (4.50z / 150 Gsm)

Composition: 93% Meta Aramid, 5% Para Aramid, 2% Antistatic

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two chest pockets with flap and closer with FR buttons.
- Sleeves cuffs provided with adjustable FR buttons.
- Front closure with FR buttons.
- Back pleats for easy movement and double pen slot on left arm.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread. All stress points bartack reinforced.

Standard Compliances:



















Size: S-5XL

INHERENT FR 625 TROUSER

Article No. : NMDIFRAMDTR2001

Product Code: ARAMID 625 (60z / 200 Gsm)

Composition: 93% Meta Aramid, 5% Para Aramid, 2% Antistatic

Properties : Inherent Flame Resistant and Antistatic

Garment Specifications:

- Two back pockets. Two side pockets
- Front closure with FR button and FR zipper.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread. All stress points bartack reinforced.

Standard Compliances:









A1 A2 B1 C1 F1








Waist: 28 - 48













INHERENT FR COOL COVERALL

Article No. : NMDIFRAEOVL1701

Product Code: ARAECO PLUS (50z / 170 Gsm)

Composition: 49% Aramid, 49% Lenzing FR, 2% Antistatic

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two slanted chest pockets with flap and YKK metallic zipper.
- Sleeves cuffs provided with adjustable snap buttons.
- Front closure with two way YKK Metal zipper.
- Back pleats for easy movement and double pen slot on left arm.
- Elasticized back waist.
- 50mm wide FR silver reflective tape on shoulder, arm and legs.
- Gas loop on both chest.
- Two back pockets and one tool pocket.
- Two side cross pocket with vent for inner access.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread.
- All stress points bartack reinforced.

Standard Compliances:




























Laundry instructions:









Size



ARAECO IFR SHIRT & TROUSER

INHERENT FR COOL SHIRT

Article No. : NMDIFRAESH1501

Product Code: ARAECO LITE (4.50z / 150 Gsm)

Composition: 49% Aramid, 49% Lenzing FR, 2% Antistatic : Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two chest pockets with flap and closer with FR buttons.
- Sleeves cuffs provided with adjustable FR buttons.
- Front closure with FR buttons.
- Back pleats for easy movement and double pen slot on left arm.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread. All stress points bartack reinforced.

Standard Compliances:





















Size: S-5XL

INHERENT FR COOL TROUSER

Article No. : NMDIFRAETR2001

Product Code: ARAECO PLUS (60z / 200 Gsm)

Composition: 49% Aramid, 49% Lenzing FR, 2% Antistatic : Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two back pockets. Two side pockets
- Front closure with FR button and FR zipper.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread. All stress points bartack reinforced.

Standard Compliances:











Color:








Waist: 28 - 48













FR FLAME LITE COVERALL

Article No. : NMDFRCOV2201

Product Code : FRC 220 (6.50z / 220 Gsm)


: 100% Cotton (Optional with Antistatic) Composition

Properties : Flame Resistant and Antistatic

Garment Specifications:

- Two chest pockets. Left pocket with flap and snap closer.
- Sleeves cuffs provided with adjustable snap buttons.
- Front closure with two way YKK Metal zipper.
- Back pleats for easy movement and double pen slot on left arm.
- Elasticized back waist.
- 25mm wide silver reflective tape on shoulder, arm and legs.
- Gas loop on both chest.
- Two back pockets left pocket with flap and snap closer.
- One tool pocket.
- Two side cross pocket with vent for inner access.
- Ergonomical design for user comfort.
- All stress points bartack reinforced.

Standard Compliances:




























Laundry instructions:









Size



FR EXTREME LITE COVERALL

: NMDFRCNOV7001 Article No.

Product Code: FRCN 700 (7.250z / 250 Gsm)

Composition : 88% Cotton, 12% Nylon (Optional Antistatic)

Properties : Flame Resistant and Antistatic

Garment Specifications:

• Two slanted chest pockets with flap and YKK metallic zipper.

• Sleeves cuffs provided with adjustable snap buttons.

Front closure with two way YKK Metal zipper.

• Back pleats for easy movement and double pen slot on left arm.

Elasticized back waist.

• 50mm wide FR silver reflective tape on shoulder, arm and legs.

• Gas loop on both chest.

Two back pockets and one tool pocket.

• Two side cross pocket with vent for inner access.

Ergonomical design for user comfort.

Stitching with Inherent FR thread.

All stress points bartack reinforced.

Standard Compliances:
































Laundry instructions:









Size



NOMADIC® AL PRO SHIRT & TROUSER

AL PRO SHIRT

Article No. : NMDFRALPSH2801 Product Code : AL PRO 280 (280 Gsm)

Composition: Blend of Wool nd FR Viscose

Properties : Protection from Molten Aluminum Splashes

Garment Specifications:

- Two chest pockets with flap and closer with buttons.
- Gusseted sleeves cuffs provided with adjustable buttons.
- Front closure with buttons.
- Back pleats for easy movement and double pen slot on left arm.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread. All stress points bartack reinforced.

Standard Compliances:













Size: S-5XL

AL PRO TROUSER

Article No. : NMDFRALPTR3201 Product Code : AL PRO 320 (320 Gsm)

Composition: Blend of Wool nd FR Viscose

Properties : Protection from Molten Aluminum Splashes

Garment Specifications:

- One back pocket with flap and button. Two side pockets.
- Front closure with button and FR metal zipper.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread. All stress points bartack reinforced.

Standard Compliances:





Color:






Waist: 28 - 48













MNI PRO FR JACKET & TROUSER

MNI PRO FR JACKET

Article No. : NMDIFRMNISH3101

Product Code: HVPTX 310 (9.00z / 300 Gsm)

Composition: 55% Modacrylic, 43% Cellulose, 2% Antistatic

: Inherent Flame Resistant, Antistatic and Hi-Vis **Properties**

Garment Specifications:

- Two chest pockets with flap and closer with snap buttons.
- Sleeves cuffs provided with adjustable snap buttons.
- Front closure with metal zipper protected with storm flap.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread.
- All stress points bartack reinforced.

Standard Compliances:











Color:









Size: S-5XL

MNI PRO FR TROUSER

Article No. : NMDIFRMNITR3101

Product Code: HVPTX 310 (9.0 Oz / 300 Gsm)

Composition: 55% Modacrylic, 43% Cellulose, 2% Antistatic

Properties : Inherent Flame Resistant, Antistatic and Hi-Vis

Garment Specifications:

- Two back pockets. Two side and knee pockets.
- Front closure with FR button and FR zipper.
- Ergonomical design for user comfort.
- Stitching with Inherent FR thread. All stress points bartack reinforced.

Standard Compliances:











EN 20471 optional

Color:






Waist: 28 - 48













INHERENT PRO FR INSULATED COVERALL

Article No. : NMDIFRPTPOV31001

Product Code: PTX 310 (9.0 Oz / 300 Gsm)

Composition: 55% Modacrylic, 43% Cellulose, 2% Antistatic

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two slanted chest pockets provided with flap closer with metal zipper.
- Two back pockets, right pocket with flap protection
- Two side pockets. One tool pockets on back.
- Two chest loops for radio or gas detector instruments.
- Pen pocket on left sleeves.
- Provision for leg bottom opening with metal zipper on both legs.
- Hood provided with detachable zipper.
- Sleeves and leg bottom hem provided with adjustable hook and loop.
- Front closer with Heavy Duty Metallic zipper.
- FR Reflective Tape 50 mm wide silver colour as per artwork.
- Waist provided with elastic on sides.
- Stitching of Garment with high tenacity IFR Sewing Thread.
- Action pleat on back for easy movement..
- All stress points will be bar tacked reinforced.
- All metal parts will be hidden to avoid direct contact with skin.

Standard Compliances:






























Laundry instructions:









Size



INHERNET FR POLAR FLEECE JACKET

: NMDPTXKN12001 Article No.

Product Code : PTXKN 1200F (12.0 Oz / 400 Gsm)

: 60% Modacrylic, 39% Cellulose, 1% Antistatic Outer Layer

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two side pockets with plastic zipper closures .
- One chest pocket closure with plastic zipper.
- High Collar for superior protection from cold weather.
- Elasticized ribbed cuffs for better protection from cold winds.
- Front closer with plastic zipper.
- Ergonomical design for user comfort.

Standard Compliances:


















Laundry instructions:









Size



FR COMFORT TOUGH INSULATED JACKET

Article No. : NMDFRCOV35001

Product Code : FRC 900 (9.0 Oz / 300 Gsm)

Composition: 100% Cotton (Optional Antistatic)

: Durable Flame Resistant and Antistatic **Properties**

Garment Specifications:

• Two chest pockets with flap and snap closure.

• Left chest pocket with hidden vertical access closure with metal zipper.

• Sleeves cuffs provided with adjustable hook and loop.

• Front closure with metal zipper protected with storm flap.

• 50mm wide FR silver reflective tape on shoulder, arm and legs.

Gas loop on both chest.

• Two slit in side cross pockets for ample storage.

• Ergonomical design for user comfort.

Stitching with Inherent FR thread.

All stress points bartack reinforced.

Standard Compliances:


























Laundry instructions:









Size



MULTINORM WINTER PARKA

Article No. : NMDMNTP20001

Product Code: MNT 200P (6.0 Oz / 200 Gsm) Outer Layer : 98% Polyester, 2% Antistatic

Middle Layer: Padding Insulation

Inner Layer : FR lining

: Inherent Flame Resistant and Antistatic **Properties**

Garment Specifications:

- Two down pockets with plastic zipper closures.
- One chest pocket closure with snap button.
- Two gas detector loop on chest.
- High Collar and fixed hood that rolled inside the collar.
- Adjustable sleeves hem with hook and loop closure.
- Front closer with plastic zipper with storm flap and fully concealed snap button closures.
- 50mm FR reflective tape as per artwork
- All the metal parts are concealed.
- Ergonomical design for user comfort.
- All stress points bartack reinforced.

Standard Compliances:


















Laundry instructions:









Size

















































Address:
G-16, 59/132 A Old Dal Mandi, Kanpur (U.P.) - 208001 info@nomadic.in

Phone: +91 7379 266 333 www.nomadic.in